
C9900-K569,-K570,K577 | USB cable, shielded, PVC, 2 x 2 x AWG28 + 1 x 2 AWG28 + 1 x 2 x AWG24, fixed installation, black



USB A, plug, straight, male, 9-pin – USB B, plug, straight, male, 9-pin



Plugs

Electrical data	Head A	Head B
Shielding	yes	yes
Mechanical data		
Installation size	USB A	USB B
Connector type	plug	plug
Configuration	straight	straight
Contact type	male	male
Number of positions (face)	9-pin	9-pin
Body color	black	black
Contact carrier color	blue	blue
Environmental data		

Cable



Electrical data	
Rated voltage	30 V
Mechanical data	
Outer cable diameter	5.5 mm ± 0.2 mm (0.216" ±0.0079")
Shielding	yes
Use	fixed installation
Jacket color	black
Material jacket	PVC (polyvinyl chloride)
Printing color	white
Environmental data	
Operation temperature range, fixed installation	-10+80 °C, +14+176 °F

Dimensions



A1	50.0 mm
A2	16.0 mm
B1	53.5 mm
B2	11.2 mm

Notes

Depending on the cable length (L), the following length tolerances apply:

1.0 m: ± 20 mm | 2.0 m: ± 30 mm | 3.0 m: ± 50 mm

- Illustrations similar
- Further cable length on request.

CE, UL	
CE	yes

Ordering information	Length
C9900-K569	1.00 m
C9900-K577	2.00 m
C9900-K570	3.00 m



Products marked with a crossed-out wheeled bin shall not be discarded with the normal waste stream. The device is considered as waste electrical and electronic equipment. The national regulations for the disposal of waste electrical and electronic equipment must be observed.

Beckhoff®, TwinCAT®, TwinCAT/BSD®, TC/BSD®, EtherCAT®, EtherCAT G®, EtherCAT G10®, EtherCAT P®, Safety over EtherCAT®, TwinSAFE®, XFC®, XTS® and XPlanar® are registered trademarks of and licensed by Beckhoff Automation GmbH. Other designations used in this publication may be trademarks whose use by third parties for their own purposes could violate the rights of the owners.

© Beckhoff Automation GmbH & Co. KG 07/2023

The information provided in this brochure contains merely general descriptions or characteristics of performance which in case of actual application do not always apply as described or which may change as a result of further development of the products. An obligation to provide the respective characteristics shall only exist if expressively agreed in the terms of contract.

